


NOTES:
 THE LOCATION OF POST NO. 2 OF THE WIRE ROPE RELATIVE TO POST NO. C OF THE W BEAM IS CRITICAL IN MAINTAINING A CONTINUOUS SAFETY BARRIER SYSTEM.

PLAN



ELEVATION

NOTES:
 1. POST IN W BEAM SAFETY BARRIER DESIGNED BY LETTERS A TO H. POSTS IN WIRE ROPE SAFETY BARRIER DESIGNATED BY NUMERALS 1 TO 5. WIRE ROPE SAFETY BARRIER INCLUDING ANCHORAGE DETAIL. SHALL BE INSTALLED AS PER MANUFACTURES SPECIFICATIONS. ALL GUARDRAIL POSTS 150 x 110 x 4.3 THICK.
 2. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS NOTED OTHERWISE.

No.	DESCRIPTION	DATE	NAME	DEPT./COMPANY
0	ISSUED AS A STANDARD DRAWING	SEPT 2017	J.LEESON	EES/DIPL
AMENDMENTS				

WARNING
 BEWARE OF UNDERGROUND SERVICES. THE LOCATIONS OF UNDERGROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE. NO GUARANTEE IS GIVEN THAT ALL EXISTING SERVICES ARE SHOWN.

DRAWN J.LEESON	CHECKED S.HATZI
DATE JUNE 2017	DATE JUNE 2017
DESIGNED	CHECKED
DATE	DATE
DESIGN LEADER S.HATZI	DESIGN DIRECTOR S.JACKSON
DATE 1/09/2017	DATE 1/09/2017



STANDARD DRAWINGS SAFETY BARRIERS				
WIRE ROPE SAFETY FENCE TRANSITION TO W-BEAM APPROACH SIDE OF ONE WAY ROAD				
FILE No.	ASSET No.	SHEET No.	DRAWING No.	AMEND.
-	-	1 OF 1	CS3207	0
				SHEET SIZE A1